PRICE LIST of

Conradty Carbons

SUITABLE

FOR CINEMATOGRAPH, SEARCHLIGHT AND PROJECTION WORK

GENERALLY

QUALITIES: "C," "Crown," "Electra,"
"Noris," "Noris E A," "Noris D," "NorisScheinwerfer-1061," and "R."

AGENTS-

JURY'S KINE SUPPLIES, Limited, W. DAY,

Director and General Manager,

7a, UPPER ST. MARTIN'S LANE, W.C.

Telegrams: JUKINSUP, LONDON. Telephone:

CONRADTY CARBONS ensure satisfactory results.

THE WORKS OF THE FIRM OF C. CONRADTY AT NUERNBERG

came into existence over a quarter of a century ago. Extensions have been made from time to time owing to the continually increasing demand for the high-class material issued. The Works are now unquestionably the most extensive in the world, devoting their entire resources to the manufacture of Lighting Carbons. Business relationships are maintained in all countries where Arc Lighting is established, and the constant receipt of repeat orders from all classes of customers furnishes ample proof that whilst CONRADTY products are not the cheapest, the prices are comparatively low when the quality of the material is taken into consideration. We have no hesitation in stating that we have full confidence that prospective purchasers of CONRADTY CARBONS will be thoroughly satisfied in every way.

N.D.

163

TERMS.


- (1) Firms not having a Ledger Account are requested to send cash with order or to furnish two satisfactory trade references.
- (2) **Delivery.** Carbons are forwarded carriage forward from Stock or direct from Works in 4-5 weeks, carriage paid.
- (3) **Packing.** No charge is made provided special arrangements to the contrary have not been made.
- (4) **Payment.** $2\frac{1}{2}\%$ cash discount is allowed when payment is made within one month of receipt of goods.
- (5) Damage of Goods in transit. As all goods are packed by experienced and capable workmen only we cannot be responsible for breakage. Customers are advised to sign for the goods as "unexamined" and in the event of damage having taken place to lodge a claim on the carriers without delay.

NOTES ON ORDERING.

- (1) We supply carbons of CONRADTY'S well-known manufacture only.
 - (2) When ordering state:-
 - (a) Whether the carbons are required suitable for A.C. or D.C. Circuit.
 - (b) Whether delivery is required from stock or direct from Works. (In the latter case we require 4-5 weeks to deliver).
- (3) Do not omit to state distinctly the quality which is required.

"C" Quality (LONG BURNING)

The "C" Quality is used with a normal voltage and in installations where small unburnt residues do not form an objection.



PRICE PER 1,000 FEET.

Diam. in m/m.	Cored.					Solid.		
7		£1	12	0		£1	12	0
8		- 1	17	6		1	17	6
9		2	3	0		2	3	0
10.		2	5	0		2	5	0
11		2	7	0		2	7	0
12		2	11	8		2	11	8
13		2	16	8		2	16	8
14		3	1	8		3	1	8
15		3	10	2		3	10	2
16		4	2	6		4	2	6
17		4	18	4		4	7	0
18		5	8	2		4	18	4
19		6	3	4		5	8	2
20		6	14	10		6	3	4
21		7	8	0		6	14	10
22		8	4	6		7	8	0
23		9	1	0		8	4	6
24		9	16	10		9	1	0
25		11	1	10		10	4	8
30		15	12	4		13	19	6

The "C" Quality is in great demand for cinematograph work, where a cheap and serviceable carbon is required.

"Crown" Quality.

An intermediate quality between the "C" and "Noris." The carbons are noted for their high lighting efficiency, small residue, and low current consumption.

MARKE KRONE ...

C. CONRADTY NUERNBERG

PRICE PER 1,000 FEET.


Diam. in m/m.	Cored.		Solid.		
7	 £2 10	6	 £2	10	6
8	 2 19	6	 2	19	6
9	 3 8	6	 3	8	.6
10	 3 18	0	 3	18	0
11	 4 7	0	 4	7	0
12	 4 16	0	 4	16	0
-13	 5 5	0	 5	5	0
14	 5 14	6	 5	14	6
15	 6 9	6	 6	9	6
16	 7 12	6	 7	12	6
17	 8 14	0	 8	14	0
18	 10 0	0	 9	3	0
19	 11 8	0	 10	0	0
20	 12 10	0	 11	8	0
21	 13 14	0	 12	10	0
22	 15 4	0	 13	14	0
23	 16 16	0	 15	4	0
24	 18 6	0	 16	16	0
25	 20 12	0	 19	2	0
30	 29 0	0	 25	18	0

The "Crown" Quality is used very largely for bioscope work, and is much appreciated by the operator.

The "Electra" Quality, which is manufactured for use on alternating current only, can be supplied at the above prices.

"Noris" Quality.

Only the best material procurable is used in the manufacture of these carbons. They are specially suitable for use in Alternating Current Lamps and Continuous Current Lamps of varying voltage. They give an absolutely steady white light, highest lighting efficiency. and burn without residue.



PRICE PER 1,000 FEET.

Diam. in m/m.	Cored.						Solid.			
7		£3	11	6		£3	11	6		
8		4	4	0		4	4	0		
9		4	17	0		4	17	0		
10		5	10	0		5	10	0		
11		6	4	6		6	4	6		
12		6	17	6		6	17	6		
13		7	10	0		7	10	0		
14		8	3	0		8	3	0		
15		9	5	0		9	5	0		
16		11	1	6		11	1	6		
17		13	3	6		11	14	0		
18		14	9	0		13	3	6		
19		16	9	6		14	9	0		
20		18	6	0		16	9	6		
21		20	2	6		18	6	0		
22		21	12	0		20	2	6		
23		23	16	0		21	12	0		
24		26	7	0		23	16	0		
25		29	13	0		27	9	0		

The "Noris" Quality is unequalled, burning noiselessly and with great brilliancy, whilst the consumption of current is low.

"D" section carbons of this quality can be supplied at the above prices.

LIBERAL DISCOUNTS ARE GIVEN TO THE TRADE.

"Noris - E.A." Quality.

Whilst the "NORIS-SCHEINWERFER-1061" Quality is suitable for use with heavy currents, the "NORIS-E.A." is produced for use with Lamps of medium currents.

KINOMARKE NORIS E.A.

C.CONRADTY NUERNBERG

PRICE PER 1,000 FEET.

Diam. in m/m.		Core	d.	9	Solid.	
7	 £3	11	6	 £3	11	6
8	 4	4	0	 4	4	0
9	 4	17	0	 4	17	0
10	 5	10	0	 5	10	0
11	 6	4	6	 6	4	6
12	 6	17	6	 6	17	6
13	 7	10	0	 7	10	0
14	 8	3	0	 8	3	0
15	 9	5	0	 9	5	0
16	 11	1	6	 11	1	6
17	 13	3	6	 11	14	0
18	 14	9	0	 13	3	6
19	 16	9	6	 14	9	0
20	 18	6	0	 16	9	6
21	 20	2	6	 . 18	6	0
22	 21	12	0	 20	2	6
23	 23	16	0	 21	12	0
24	 26	7	0	 23	16	0
25	 29	13	0	 27	9	0

This quality is specially recommended for cinematograph work, being manufactured primarily for this purpose.

"Noris-Scheinwerfer-1061" Quality.

NORIS-SCHEINWERFER

This quality is distinguished for its silent burning, even in cases where there is considerable variation of the voltage, and by its extraordinary solidity. The positive, as well as the negative rods, are cored.




PRICE PER 1,000 FEET.

Diam. in	m/m.		Pos	itive an	d Ne	gative	
		 		£6	6	9	=
6 7		 		6	6	9	
8		 		7	10	9	
9		 		8	6		
10				8	18	3 5	
11		 		9	18	3	
12		 		10	18	1	
13		 		- 11	17	11	
14		 		13	9	9	
15		 		15	15	2	
16		 		17	16	10	
17		 		20	16	4	
18		 		22	16	0	
19		 		25	15	6	
20		 		27	15	1	
21		 		30	14	7	
22		 		33	14	0	
23		 		36	13	6	
24		 		41	12	8	
25		 		45	12	0	

The "Noris-Scheinwerfer-1061" Quality is peculiarly suitable for projection work, and where price is not all important, can be highly recommended.

"R" Quality (SEARCHLIGHT)

Mark "R" by reason of its perfect and unsurpassed quality is suitable for currents up to 300 amperes, whilst the carbons are of comparatively small diameters. The distinguishing features of this quality are long burning hours, minimum residue and a steady and continuous arc.



PRICE PER 1,000 FEET.


Diam. in m/m.	Po	Nega				
10	 £11	2	0	 £9	17	3
11	 12	6	6	11	2	0
12	 13	11	0	 12	6	6
13	 14	15	9	 13	11	0
14	 16	0	0	 14	15	9
15	 18	10	0	 16	12	6
16	 21	11	3	 19	14	0
17	 24	12	10	 22	3	3
18	 27	2	0	 24	12	10
19	 30	16	0	 27	14	6
20	 33	17	6	 30	16	0
21	 36	19	3	 33	17	6
22	 40	13	3	 36	19	3
23	 44	7	6	 40	1	0
24	 48	1	3	 43	2	6
25	 51	14	0	 46	4	0
26	 - 54	4	0	 49	5	8
27	 57	17	10	 52	7	3
28	 60	7	0	 55	8	10
29	 62	16	8	 58	10	6
30	 66	10	5	 61	12	0

The mark "R" is superior to any quality put on the market for Searchlight purposes.

Conradty Carbons

FOR-

CINEMATOGRAPH EXHIBITIONS



are the finest made. They possess great durability, and are of uniform quality.

